

INSTALLATION INSTRUCTIONS

AquaMaster – LakeSeries Nozzle Adapters

4" Nozzle Adapter • #652532

6" Nozzle Adapter • #652533

4" Nozzle Adapter w/ Flow Straightener • #652536

6" Nozzle Adapter w/ Flow Straightener • #652537



Follow these instructions for the proper installation of AquaMaster
Nozzles on Airmax LakeSeries 2 – 10 HP Fountains

IMPORTANT INFORMATION:

Please read these instructions thoroughly before use. Failure to follow instructions may result in equipment damage or failure, losses, injury or death.

Table of Contents:

Important Information 2

Product Contents 2

Installing Your Nozzle Adapter 3-4

WARNING

To reduce the risk of electric shock or injury:

- ALWAYS turn power off at the Airmax fountain control panel before installing, removing or servicing the fountain components.
- ALWAYS use proper PPE during changes, updates or repairs.
- Use ONLY with AquaMaster fountain nozzles and Airmax LakeSeries fountains.

PRODUCT CONTENTS

- AquaMaster-LakeSeries Nozzle Adapter (1)
- AquaMaster-LakeSeries Nozzle Adapter O-Ring (1)

ITEMS NEEDED

- Airmax 2HP, 3 HP, 5 HP, 7.5 HP or 10 HP fountain.
 - AquaMaster OEM Nozzle (4" or 6")
- NOTE: Airmax does not sell or supply AquaMaster OEM nozzles*

INSTALLING YOUR NOZZLE ADAPTER:

WARNING: ALWAYS turn off power and disconnect fountain from the power cord when completing repairs in the field.

Step 1

First, remove the 6-inch LakeSeries nozzle nut, then install the AquaMaster – Airmax Nozzle Adapter Assembly in the LakeSeries fountain discharge.



Standard Adapter



Adapter with Flow Straightener

Step 2

Next, secure the nozzle adapter in place using the Airmax LakeSeries 6-inch nozzle nut.

NOTE: Hand tighten the nozzle nut only.



Step 3

Install the AquaMaster nozzle, making sure that it seats evenly over the adapter top and O-ring. Secure the nozzle with the thumb screws.

NOTE: Hand tighten the thumb screws only.



Standard Nozzle



Flow Straightened Nozzle

Before reinstalling the fountain in the water, be sure that the nozzle thumb screws and 6-inch discharge nut are secure. If you have any questions regarding the installation of the *AquaMaster-LakeSeries Nozzle Adapters*, contact [Airmax Technical Support](mailto:airmax@airmaxeco.com) at 866-424-7629.